

Ministry of Health & Family Welfare Government of India

Guidelines on preventive measures to contain spread of COVID-19 Offices

IIth June 2020

1

Need for Covid Appropriate Behaviour



others in crowded places

members at risk


family at risk

As we progress in Unlock 1.0, to contain the spread of COVID-19, we need to follow Covid Appropriate Behavior at all times

Generic Preventive Measures







Maintain a distancing

adequate social



Spitting is strictly prohibited



Thermal screening of all entrants and staff



Wash hands with soap/ sanitizers (as required)



Maintain 6ft distance while queuing for entry in public places



Respiratory etiquettes

- Cover mouth & nose with tissue/ handkerchief/flexed elbow
- Dispose off used tissues properly



Staggering of visitors/patrons

Generic Preventive Measures



Self-monitor health (Guest and staff)



Immediate report illness

(To state and district helpline)



Aarogya Setu app (Recommended to Install & Use)



Large gatherings/ congregation prohibited

Who are advised to stay at home?



People aged more than 65 years



Children aged less than 10 years



Pregnant Women



Persons with comorbidities such as hypertension, diabetes, etc

Except for essential and health purposes

Offices – Specific Measures





Mandatory sanitizer dispensers and thermal screening provisions at entrance





Officer/visitors/ staff to be allowed entry only if wearing masks



Separate entry and exit for officers, staff and visitors



Specific markings with

sufficient distance for

queue management

and social distancing

norms



Proper Crowd Management in Parking Lots and outside the premises



Air-conditioning (Temp of 24–30°C, Relative humidity of 40–70%, Intake of fresh air, Cross ventilation)



Posters/ standees/ AV media on COVID preventive measures displayed at all times



Effective and frequent sanitation (esp. lavatories, drinking and hand/foot washing stations)



Cleaning and regular disinfection (using 1% sodium hypochlorite of frequently touched surfaces)



Safe Disposal of face covers/ masks/gloves

Offices – Specific Measures



Officers/staff residing in containment zone to inform supervisory officer and work from home



Staff/Drivers residing in containment zones should not be allowed to drive vehicles



Drivers to maintain social distancing and follow required do's and don'ts

(Disinfection of steering, door handles, keys using 1% sodium hypochlorite solution/ spray)



Avoid front-line work and take extra precaution for high risk employee

(older, pregnant employees and employees with underlying medical conditions)



Suspend issue of visitors/ temporary passes & screen permitted visitors properly



Video Conferencing for meetings



Staggering of office hours, lunch hours/coffee breaks



Valet parking operational (Face covers/ masks & gloves for staff and disinfection of steering, door handles, keys)



Limited number of people in elevators



Ensure regular supply of hand sanitizers/ soap/ running water in washrooms

Guidelines with respect to preventive measures specific to offices have been issued by DoPT to be followed

Offices – Specific Measures





Precautions while handling supplies/inventories

Shops/stalls/Cafeteria to follow social distancing within and outside premises



Seating arrangement in cafeteria to ensure adequate social distancing



Staff/waiters to wear masks and hand gloves



Staff to follow social distancing norms in the cafeteria/ canteen/ dining halls/ kitchen

Closure of Workplace

Scenario: One or Two reported cases



Disinfection procedure for places/areas visited by patient in past 48 hrs



No need to close entire office building/halt work in other areas



Work can be resumed after disinfection as per protocol



Building/block to be closed for 48 hours after thorough disinfection



Scenario: Larger Outbreak or Potential Emerging Cluster

Work from home for entire staff, till the building/block is disinfected and fit for re-occupation



Risk assessment, isolation, and quarantine of contacts, case referral and management

The detailed guidelines are available at MoHFW website, states may adopt accordingly

Protocol for attending to suspect or confirmed case



The detailed guidelines are available at MoHFW website, states may adopt accordingly